200100127

THIR UNIVERD STRATES OF ANTERIOR

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Virginia Jech Intellectual Properties, Inc.

MICCORS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, R CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN DUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY COLOR OF THE SOLD BY VARIETY NAME ONLY AS A

ERRIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF \$4 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT, COMMON

'USG 3209'

In Testimony Therest, I have hereunto set my hand and caused the seal of the Hunt Inviety Protection Office to be affixed at the City of Washington, D.C. this twelfth day of September, in the year two thousand one

in the year two thou

Commissioner

Plant Variety Protection Office Agricultural Marketing Service lgriculturs

EPRODUCE LOCALLY. <i>Include form n</i>	umber and date on all	reproductions		<u>.</u>	Form	n Approved - OMB No. 0581-0055		
U.S. DEPARTMENT AGRICULTURAL MA SCIENCE AND TECHNOLOGY - PLA			The following	stalements em mede in Reduction Act (FRA) d	r accurdance with the Prix f 1995.	recy Act of 1974 (5 U.S.C. 552e) and		
SCIENCE AND TECHNOLOGY - PU APPLICATION FOR PLANT VARI Instructions and information collection bu			Application is (7 U.S.C. 242	nagyinad in order to delta 1). Information is held o	emine if à plant variety pr onfidential until cartificate	otestion certificate to to be leaved is issued (7 U.S.C., 2426).		
n. NAME OF OWNER Virginia Tech intellectual Properties, in	·			2 TEMPORARY D EXPERIMENTA VA94-54-479	LNAME I	9, VARIETY NAME USG 3206		
4. ADDRESS (Stroet and No., or R.F.D. No., City, S		fry)		4. TELEPHONI 540-961-9378	(include area code)	FOR OFFICIAL USE ONLY		
Virginia Tech Imeliectual Properties, Inc 1872 Pratt Dr., Suite 1625 Blacksburg, VA 24060	L			5. FAX (include		00100127		
				540-951-5292	-	FILING DATE		
7. IF THE OWNER NAMED IS NOT A "PERSON", G ORGANIZATION (corporation, pertnership, associ	GIVE FORM OF	8. IF INCORPORA STATE OF INCO	TED, GIVE ORPORATION	9. DATE OF INCO	RPORATION			
Corporation		Virginia		June 20, 1925		3-9-2001		
name and address of owner representation of the Carl A. Griffey Crop and Soil Enviror Virginia Tech Blacksburg, VA 2406	First person listed	will receive all papers)		FILING AND EXAMINATION PRINCE: \$ 2450.00 + 255.00 DATE 3-9-01 4/2/0 CERTIFICATION FEE: 0 \$ 300				
	EAV disability arms order	18. E	-MAIL		14. CRO	KIND (Common Name)		
11. TELEPHONE (Include area cods) 12. 540-231-9789 540	FAX (Include eres cods) 0-231-3431	1	<u>Øvt,edu</u>		Wheat, Co	mmon		
18. CHECK APPROPRIATE BOX FOR EACH ATTAINMENT OF THE PROPERTY	ry of the Variety	raled varielikus, nn approved	20. DOES THE VARIETY B IF YES, WI	ES (II 'yes', anawor lies and 21 below) COWNER SPECIFY THE LIMITED AS TO NUMBER OF GENERAL STONES OF	THE CLASSES BE NERATIONS?	TO (If "no," go to item 22) YES NO EGISTERED CERTIFIED REGISTERED CERTIFIED REGISTERED CERTIFIED		
22. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSE OR OTHER COUNTRIES? YES IF YES, YOU MUST PROVIDE THE DATE OF FIRS EACH COUNTRY AND THE CIRCUMSTANCES. (F	D OF, TRANSFERRED, OK US NO IT SALE, DISPOSITION, TRAN	SFER, OR USE FOR	PROPERTY RI	GHT <i>(PLANT BREEDE)</i> YES COUNTRY DATE OF F	DNENT OF THE VARIETY RESTRICHT OR PATENT! LIVE N LUNG OR ISSUANCE AN USE Spece indicated on re	o Dassigned		
24. The owners declare that a visible sample of his a tuber propagated variety a fastic outline will be different that undersigned owner (a) is (are) the owner of entitled to protection under the provisions of Section Owner (s) is (are) informed that false represent	gic seed of the variety will be to appelled in a public repository of this sexually reproduced or to in 42 of the Plant Variety Protes	umished with application and maintained for the labor propagator plant ction Act.	variety, and balleve	enishod upon request in philosite. e(s) that the variety is no	accordance with auch re	guilations as may be applicable, or for stable as required in Section 42, and is		
SIGNATURE OF OWNER Muchelle			SIGNATURE	OF OWNER				
NAME (Please wint or type)		NAME (Pleas	e print or (ypo)					
Michael J. Martin								
CAPACITY OR TITLE	DATE		CAPACITY O	RITTLE		DATE		
Executive Vice Preside 887-470 (209) dealgred by the Plant Variety Protect	ent 3/9 ton Office with WordPerfect 8	/01 0a. Replaces 510-47	/0 (8-98) which is a	baciete. (See re	verse for instructions and	information collection burden statement)		

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

- 18a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance. etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 21. See Section 83 of the Act for the Contents and Term of Plant Variety Protection.
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Certified seed of USG 3209 was first sold to growers in Fall 2000.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

USG 3209 Wheat

18A. Exhibit A: Origin and Breeding History

Genealogy and Breeding Method. USG 3209, formerly designated VA94-54-479, was selected in 1993 as an F₅ headrow derived from the population 'Saluda'/4/'Massey'*2/3/Massey*3/ 'Balkan'//Saluda. The final cross was completed in 1988, and the population was advanced using a modified bulk breeding method. The major criteria used in selection of USG 3209 were early head emergence, short plant height, and resistance to powdery mildew (*Blumeria graminis*) and leaf rust (*Puccinia triticina*). USG 3209 has been evaluated in the Virginia State Wheat test since 1995.

Population Advancement and Selection of the Variety. The cross from which USG 3209 was derived was completed in 1988. It was then advanced from the F₂ to the F₄ generation using a modified bulk breeding method. During each generation, spikes of desirable shape (not too tapering), size (medium to large), and cleanliness (free of obvious disease) were selected from plants short in stature and early in maturity. The selected heads were threshed in bulk and the seed was planted to advance the population in the next season. In the F₄ generation, spikes were harvested from the populations and threshed individually. Seed from each head were planted in 4-foot headrows. USG 3209 was derived in 1993 from a single F₅ headrow selected for early head emergence, short plant height and resistance to powdery mildew and leaf rust. This pure line, designated VA94-54-479, was evaluated in single 45 sq. ft. observation yield-plots in 1993 and 1994, and has been evaluated each year in the Virginia State Wheat test starting in the 1994-95 season. USG 3209 was also evaluated in the 1995-96 and 1996-97 USDA-ARS Uniform Southern Soft Red Winter Wheat Nurseries.

Multiplication and Purification. Breeder seed of USG 3209 was derived from 117 F_8 headrows selected for uniformity to type and soft seed texture. During the 1995-96 season, 300 headrows of USG 3209 were evaluated for uniformity, trueness to type, and the seed was visually assessed for starchy versus vitreous endosperm. Among these 300 headrows, 144 were selected, harvested, and planted in 45 ft. sq. observation plots in 1996-97. Of these plots, 117 were selected and bulked to form the breeder seed USG 3209. Of the variants noted in 1999-2000 purification plots, less than 0.4% were too tall, less than 0.5% had shorter or longer awns, and less than 0.1% had a dense spike shape.

Uniform and Sable from 1925-96 Through 1999-2000.

Mart on phone dall ulil/2001

USG 3209 Wheat

18B. Exhibit B: Novelty Statement

USG 3209 is uniquely different from all known wheat cultivars, but is most similar to its parent Saluda. USG 3209 has a Brown Phenol Reaction, while that of Saluda is Fawn. USG 3209 is resistant to isolates of powdery mildew with virulence to gene Pm3a, while Saluda, which possesses the Pm3a gene derived from 'Asosan', is susceptible. In seedling tests of entries in the 1995-96 Uniform Southern Soft Red Winter Wheat Nursery (USSRWWN), conducted by USDA-ARS (Raleigh, NC) using 38 different mildew isolates, USG 3209 (VA94-54-479) had a resistant reaction to 16 isolates to which Asosan (Pm3a) was susceptible. In similar tests conducted in 1996-97 USSRWWN, USG 3209 was resistant to six isolates possessing virulence for Pm3a. These data indicate that USG 3209 differs from Saluda with regards to genes for resistance to powdery mildew. USG 3209 also expresses resistance to races of leaf rust that have virulence for gene Lr11, while Saluda is susceptible. In seedling tests of entries in the 1995-96 and 1996-97 USSRWWN, conducted by USDA-ARS (St. Paul, MN), USG 3209 was resistant to leaf rust races CBTB, MBRL and TLGG, which have virulence for gene Lr11. In seedling tests of entries in the 1995-96 and 1996-97 USSRWWN, conducted by USDA-ARS (West Lafayette, IN), USG 3209 was resistant to Hessian fly biotype B, while Saluda is susceptible.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION BELTSVILLE, MARYLAND 20705

(Wheat)

OBJECTIVE DESCRIPTION OF VARIETY WHEAT (TRITICIIN SPRI

75	FOR OFFICIAL USE ONLY
Virginia Tech Intellectual Properties, Inc.	PYPO NUMBER
1872 Pratt Drive, Suite 1625	VARIETY NAME OR TEMPORARY 1 2 7
Blacksburg, VA 24060	DESIGNATION
Diacksburg, VA 24000	USG 3209
Place the appropriate number that describes the varietal character of this variety	
Place a zero in first box (e-s. 0 8 9 or 0 9) when number is either 99 or	less or 9 or less.
1. KIND:	
1 1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT 5 = POLISH 6	
	= POULARD 7 = CLUB
2. TYPE:	T 3 = OTHER (Specify)
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify) 1 2 = HAR	
<u> </u>	
2 1 = WHITE 2 = RED 3 = OTHER (Specify)	
. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
FIRST FLOWERING	LAST FLOWERING
MATURITY (50% Flowering):	-
0 3 NO. OF DAYS EARLIER THAN	THUR 2 = SCOUT 3 = CHRIS 7=Roane
0 3 NO. OF DAYS LATER THAN	AHI 5 = NUGAINES 6 = LEEDS 8=Pioneer
PLANT HEIGHT (From soil level to top of head):	· · ·
8, 1 cm. High	
0 5 CM. TALLER THAN	
	THUR 2 = SCOUT 3 = CHRIS 7=Roane
0 8 CM. SHORTER THAN	
4=LEN	
	LOR
T=YELLOW GREEN 2 = GREEN 3 = BLUE GREEN 1 1 = YELL	OW 2 = PURPLE
STEM:	
Anthocyanin: 1 = ABSENT 2 = PRESENT 2 Waxy bloom	a: I = ABSENT 2 = PRESENT
Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT 1 Internodes	
Internode of rachis: 1 = ABSENT 2 = PRESENT Internodes	: I = HOLLOW 2 = SOLID
	NTERNODE LENGTH BETWEEN FLAG LEAF
	LEAF BELOW
AURICLES:	
Anthocysnin: 1 = ABSENT 2 = PRESENT 2 Hairiness:	1 = ABSENT 2 = PRESENT
LEAF;	
	
Flag leaf at = ERECT 2 = RECURVED 1 Flag leaf:	l = NOT TWISTED 2 = TWISTED
3 = OTHER (Spealty):	
Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT 2 Waxy bloom	of flag leaf sheath: = ABSENT 2 = PRESENT
8 MM. LEAF WIDTH (First leaf below flad leaf) 2 2 CM. I	EAF LENGTH (First leaf below flag leaf):

			 .
11. HEAD: 1 Density: 1 = LAX	2 = DENSE	Shape: 1 = TAPERING 2 = 5 4 = OTHER (Specify)	TRAP 3 = CLAVATE
3 Awnedness: 1 = Aw	NLESS 2 = APICALLY AWNUETED	3 = AWNLETED 4 = AWNED	
2 Color at maturity: 5		= RED ER (Specily):	
0 9 CM. LENGTH		1 2 MM. WIDTH	
12. GLUMES AT MATURI 3 Length: 1 = SHORT 3 = LONG((CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.)	2 Width: 1 = NARROW (CA. 3 mm.) 3 = WIDE (CA. 4 mm.)	2 = MEDIUM (CA. 3.5 mm.)
Shoulder 1 = WANTS shape: 4 = SQUAR		2 Beak: 1=OBTUSE 2=ACUT	E 3 = ACUMINATE
13. COLEOPTILE COLOR		14. SEEDLING ANTHOCYANIN:	
\Box 1	ight co 3 = PURPLE	1 1 = ABSENT 2 = PRESENT	
15. JUVENILE PLANT GR	OWTH HABIT:		
3 I = PROSTRATE	2 = SEMI-ERECT 3 = ERE	:T	en de la companya de La companya de la co
16. SEED:			
1 Shape: 1 = OVATE	2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUNDED 2 = AN	GULAR
Brush. 1 = SHORT	2 = MEDIUM 3 = LONG	Brush: 1 = NOT COLLARED	2 = GOLLARED
Phenol reaction (See instructions):	1 = IVORY 2 = FAWN 3 = LT. BROW 4 = BROWN 5 = BLACK	N	
3 Color: 1 = WHITE	2 = AMBER 3 = REO 4 = PURPLE	5 = OTHER (Specify)	
0 7 MM. LENGTH	0 3 MM. WIOTH	3 9 GM. PER 1000 SEEDS	
17. SEED CREASE:			
1 Width: 1 = 60% ORL	ESS OF KERNEL 'WINOKA'	Depth: 1 = 20% OR LESS OF KE	RNEL 'SCOUT'
2 = 80% OR LE	ESS OF KERNEL 'CHRIS'	2 = 35% OR LESS OF KE	
3 = NEARLY A	S WIDE AS KERNEL 'LENHI'	3 = 50% OR LESS OF KE	NEL 'LEMHI'
18. DISEASE: (0 = Not Test	ed, 1 = Susceptible, 2 = Resistant)		<u> </u>
2 STEM RUST (Races) QFCQ, RTQ(1 LEAF BUST Lr11,26	O STRIPE RUST O	LOOSE SMUT
2 POWDERY MILDEW	resistance gene	OTHER (Specify)	
19. INSECT: (0 = Not Teste	d, 1 = Susceptible, 2 = Resistant)	·	
O SAWFLY	O APHID (Bydv.)	O GREEN BUG	EREAL LEAF BEETLE
1 OTHER (Specify) Bid	ssian flv	2 GP 0 A 2 E	, 1 c
	RACES:	1 ° 2 E 0	0 6
20. INDICATE WHICH VARIE	TY MOST CLOSELY RESEMBLES THAT S	UBMITTED:	
CHARACTER	NAME OF VARIETY		E OF VARIETY
Plant tillering	71 1 5 53 F 1981	Seed size	
Leaf size		Seed shape	
Leaf color		Coleoptile elongation	
Leaf carriage		Seedling pigmentation	<u> </u>
con contage		CIS	

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

18D. Exhibit D: Additional Description of USG 3209.

Since USG 3209 has not been tested in comparison with any of the six cultivars listed in Exhibit C, average data on performance in Virginia from 1995 to 1998 are presented in Tables 1-8. USG 3209 is a short, early heading soft red winter wheat with high yield potential and moderate straw strength and test weight. Head emergence of USG 3209 is similar to that of 'Madison' and 'Pioneer 2580' (Tables 1-5). Plant height (32 inches) of USG 3209 is most similar to 'Coker 9835'. Straw strength is similar to that of 'Coker 9803' and better than that of 'Jackson'. Grain yield of USG 3209 is similar to that of 'Pocahontas', and test weight is similar to that of 'Madison' and 'Pioneer 2580'. Winter-hardiness of USG 3209 is only moderate and most similar to that of 'Coker 9835'. Milling and baking quality of USG 3209 is similar to that of Pioneer 2580 (Tables 6-8).

USG 3209 is resistant to powdery mildew and to all races of leaf rust except for those with virulence to both Lr11 and Lr26. Race MCGL with virulence to resistance genes Lr1, 3, 10, 11, 26 became prevalent in Plains, Georgia late in the 1997 season, while races with such virulence were absent or non-significant in most soft red winter wheat regions. Based on seedling tests conducted at the Cereal Rust Lab, USG 3209 is resistant to stem rust. USG 3209 is moderately resistant to wheat spindle streak virus, leaf and glume blotch and barley yellow dwarf (Tables 1-5). It possesses resistance to Hessian fly biotypes GP, B and E and is susceptible to biotypes C, D and L.

Table 1. Summary of performance of entries in the Virginia Tech Wheat Test, 1998 harvest.*

		Test	Date	777		Powdery	Leaf	Head	Spring
Brand/Variety	Yield	Weight	Headed	Height	Lodging	Mildew	Rust		Freeze Injury
	(Bu/A)	(Lb)	(Mar 31+)	(In)	(0.2-10)	(0-9)	(0-9)	(0-9)	(%)
	(7)	(7)	(4)	(3)	` (6) ´	(1)	(1)	(1)	(1)
VA94-54-479	66 -	53.3 -	26 -	33 -	4.3 +	3	3 -	6+	26 +
VA95-52-60	72	56.1 +	26 -	38	3.3 +	3	3 -	5	4
POCAHONTAS-RT	79 +	55.8 +	24 -	37 -	2.3	0 -	6	4 -	2
ROANE	77 + ·	57.8 ÷	28 +	38	2.5	2 -	š	3 -	0
PIONEER BRAND 2580-B	76 +	54.7	25 -	38	1.1 -	1 -	6	5	1
FFR 555W-B	73	54.7	29 +	39 +	0.8 -	7 +	8 +	5	1
MADISON	73	54.7	25 -	40 +	2.3	4 +	6	7 +	Ô
JACKSON-B	73	56.1 +	28 +	38	4.7 +	4 +	6	4 -	2
PIONEER BRAND 2684-B	72	56.4 +	24 -	38	2.0	2 -	7 +	and the same	
PIONEER BRAND 2643-B	71	55.8 +	26 -	33 -	0.3 -	3	6	5	2
NK-COKER 9835-D	69	53.6 -	28 +	35	1.8	4 +	6	5	1
NK-COKER 9803-D	66 -	55.8 +	25 -	35 -	3.9 +	6 +	5	6 +	3
PIONEER BRAND 2691-B	64 -	53.2 -	23 -	35 -	1.7 -	2 -	1 -	7 +	9
LSD (0.05)	3	0.6	1	1	0.8	ī	2	ī	6
Test Average	71	54.9	27	38	2.5	3	5	5	5

^{*} The number in parentheses below column headings indicates the number of locations on which data are based. A plus or minus sign indicates a performance significantly above or below the test average.

[♣] Belgian Lodging Scale = Area X Intensity X 0.2. Area = 1-10, where I is wheat is unaffected and

¹⁰ is entire plot affected and Intensity=1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

[☐] The 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

^{*} This was most likely bacterial pseudomonas although there may have been septoria nodorum present.

Table 2. Summary of performance of entries in the Virginia Tech Wheat Test, 1996-97,*

Brand/Variety	Yield (Bu/2		Test Weight		Da Head (Mar	te ded	Heig (In)	ht	Powd Mild	ery	Lea Rus		Whe Spin Str — (0-9)な	dle eak	Yel	rley low arf	Glu Blo	ıme tch□
	(6)	_	(6)		` (4	•	(3	,	(3)	(3))	(1		(2)	(1)
VA94-54-479	82	+	60.5	+	32		33	_	ò	-	2		3	+	1		2	+
VA95-52-60	78		61.2	+	33	+	37		2		I		6	+	4	+	1	
PIONEER 2580-B	81	+	59.9		32		. 36		1	_	2		4	+	3		1	
JACKSON-B	80	+	61.0	+	34	+	38	+	1	_	2		3	+	2	-	1	
MADISON	78		59.3	-	31	_	39	+	3	+	4	+	0	-	3		1	
COKER 9835-B	77		59.4	-	35	+	33	_	2		0	_	3	+	3		1	
COKER 9803-B	77		61.6	+	29	_	36	-	2		0	~	0	_	2	-	1	
PIONEER 2691-B	77		59.9		27	-	35	_	0	_	1		2		3		1	
ROANE	77		61.8	+	35	+	36	_	Ô	_	1		2		1	_	2	+
FFR 555W-B	76		59.6	_	35	+	37		4	+	3		1	_	2	_	2	+
PIONEER 2643-B	74		60.5	+	31	_	32	_	0	_	2		1	-	1	-	1	
PIONEER 2684-B	73		61.5	+	31	_	36	_	í	-	1		2		2		1	
POCOHONTAS	71	-	60.9	+	31	-	36	-	ō	-	4	+	5	+	5	+	Ī	
LSD (0.05)	4		0.3		I		1		I		2		1		1		1	
Test Average	76		60.0		32		37		2		2		2		3		ī	

The number in parentheses below column headings indicates the number of locations on which data are based. A plus or minus sign indicates a performance significantly above or below the test average, respectively.

[☆] The 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

Blotch was caused by <u>Stagonospora nodorum</u>.

Note: There was no lodging at any test location in 1997.

Table 3. Summary of performance of entries in the Virginia Tech Wheat Test, 1995-96.*

Brand/Variety	Yield (Bu/A)	Test Weight (Lb) (6)	Date Headed (Mar 31+) (4)	Height (In) (3)	Lodging** (0.2-10) (6)	Powdery Mildew (0-9)☆ (2)	Leaf Rust (0-9) (1)	Leaf□ Blotch (0-9) (2)	Glume□ Blotch (0-9) (1)
VA94-54-479	79	56.3	36	31 -	3.9	1 -	2	3	5 +
VA95-52-60	87 +	58.1 +	36	33 -	3.4	2.	0 -	2 -	3
JACKSON-B	87 +	57.1 +	37 +	34	5.7 +	1 -	0 -	3	2 -
ROANE	87 +	59.4 +	37 +	33 -	2.6	1 -	2	3	4 +
PIONEER 2580-B	85	57.0	35 -	34	1.6 -	1 -	0 -	3	2 -
PIONEER 2684-B	84	58.8 +	35 -	34	2.0 -	I -	2	3	2 -
FFR555W-B	84	55.8 -	38 +	33 -	2.3	5 +	7 +	3	6 +
COKER 9835-B	84	55.9 -	37 +	31 -	1.8 -	2	0 -	2 -	3
MADISON	82	56.9	36	36 ÷	2.5	2	3 +	5 +	2 -
COKER 9835	80	55.5 -	37 +	32 -	1.8 -	2	2	2 -	3
PIONEER 2691-B	80	55.5 -	34 -	32 -	3.6	1 -	0 -	4 +	3
PIONEER 2643-B	80	57.8 +	37 +	29 -	0.2 -	1 -	0 -	2 -	. 3
COKER 9803	78 -	58.4 +	35 -	32 -	4.3 +	4 +	3 +	4 +	4 +
LSD (0.05)	4	0.6	1	1	1.0	I	1	1	1
Test Average	82	56.5	36	34	3.2	2	2	3	3

^{*} The number in parentheses below column headings indicates the number of locations on which data are based.

A plus or minus sign indicates a performance significantly above or below the test average, respectively.

^{**} Belgian Lodging Scale = Area x Intensity x 0.2. Area = 1-10, where 1 is wheat unaffected and 10 is entire plot affected and Intensity = 1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

[☆] All 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

^{☐ &}lt;u>Septoria</u> leaf and glume blotch in these cases were caused by <u>Stagonospora nodorum</u>.

Table 4. Summary of performance of entries in the State Wheat Test, 1994-95.*

Brand/Variety	Yield (Bu/A) (6)	Test Weight (Lb) (6)	Date Headed (Mar 31+) (4)	Height (In) (5)	Lodging** (0.2-10) (2)	Powdery Mildew (0-9)*	Leaf Rust (0-9) (3)	Septoria Leaf Blotch (0-9) (1)	Glume Blotch (0-9) (1)	BYD Virus (0-9) (3)
VA94-54-479	87 +	57.3	28 -	32 -	2.0	0	1 -	3	3 +	4
PIONEER 2580-B	89 +	56.0	27 -	33 -	1.2	I	3	5 +	3 +	4
JACKSON	84 +	57.4	29	36 +	3.5 +	1	3	2 -	1 -	4
ROANE	83 +	59.0 +	31 +	34	1.4	0 -	3	2 -	2	I -
PIONEER 2684-B	82 +	58.2 +	27 -	33 -	0.3 -	1	4 +	2 -	1 -	4
PIONEER 2691-B	80	55.7 ~	25 -	31 -	1.4	0 -	1 -	4 +	2	4
PIONEER 2643-B	· 79	56.6	28 -	29 -	0.5	0 -	2 -	4 +	3 ÷	4
COKER 9835	78	56.0	29	31 -	3.5 +	1	1 -	3	3 +	4
FFR555W-B	76	56.1	31 +	35 +	0.7	2 +	5 +	2 -	2	4
MADISON	76	56.7	27 -	35 +	1.2	2 +	5 +	2 -	2	3 -
LSD (0.05)	6	0.9	1	1	1.4	1	1	1	1	1 .
Test Average	75	56.7	29	34	- 1.8	1	3	3	2	4

The number in parentheses below column headings indicates the number of locations on which data are based. A plus or minus sign indicates a performance significantly above or below the test average, respectively.

^{**}Belgian Lodging Scale = Area x Intensity x 0.2. Area = 1-10, where 1 is wheat unaffected and 10 is entire plot affected and Intensity = 1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

^{*} The 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

Table 5. Summary of performance of entries in the Virginia Tech Wheat Test for the harvest years 1995-1998.

Brand/Variety	Yield (Bu/A) (25)	Test Weight (Lb) (25)	Date Headed (Mar 31+) (16)	Height (In) (14)	Lodging** (0.2-10) (14)	Powdery Mildew (0-9)& (9)	Leaf Rust (0-9) (8)	Leaf□ Blotch (0-9) (3)	Glume□ Blotch (0-9) (3)
VA94-54-479	78	56.5 -	30	32 -	3.8 +		2 -	3	4 +
VA95-52-60	79	58.1 +	32	36 +	3.3 +	2 +	1 -	2 -	3
PIONEER 2580-B	82 +	56.6	30	35 +	1.3 -	1	2 -	4 +	3
ROANE	80	59.2 ±	33	35 +	2.4	Ī	2 -	3	3
JACKSON-B	80	57.7	32	37 +	4.9 ÷	1	3	3	2 -
POCOHONTAS	78	57.6	29	35 +	2.3	0 -	3	2 -	2 -
PIONEER 2684-B	77	58.4 +	29	35 +	1.7	1	3	3	2 -
FFR555W-B	76	56.4 -	33	36	1.3 -	4 +	5 +	3	4 ÷
NK-COKER 9835	76	56.I -	33	33 -	1.8	2 +	1 -	2 -	3
MADISON	75	56.6	30	37 +	2.2	2 ÷	4 ÷	4 +	3
PIONEER 2643-B	75	57.4	30	30 -	0.3 -	Ī	2 -	3	3
PIONEER 2691-B	74	55.8 -	27 -	33 -	2.4	1	1 -	4 +	3
NK-COKER 9803	73	58.3 +	30	34	3.9 +	3 +	2 -	4 +	3
LSD (0.05)	5	0.8	3	1	0.9	1	1	1	ì
Test Average	77	57.3	31	34	2.4	l	3	3	3

^{*} The number in parentheses below column headings indicates the number of year-locations on which data are based. A plus or minus sign indicates a performance significantly above or below the test average, respectively.

** Belgian Lodging Scale = Area x Intensity x 0.2. Area = 1-10, where 1 is wheat unaffected and 10 is entire plot affected and Intensity = 1-5, where 1 is wheat standing upright and 5 is wheat lying totally flat.

All 0-9 ratings indicate relative disease intensity where 0=none and 9=total plant infection.

^{☐ &}lt;u>Septoria</u> leaf and glume blotch in these cases were caused by <u>Stagonospora nodorum</u>.

Table 6. Milling and baking quality of entries in the Virginia Tech Wheat Test based on evaluations of the 1997 crop.

		-Locations A	nalysis	****	Composite Analysis						
ENTRY	Milling Quality score	Baking Quality score	Flour Yield %	Micro Test Weight lb/bu	Milling Quality score	Baking Quality score	Flour Yield %	Cookie Diameter em			
MADISON=STANDARD	99.4	97.8	72.28	61.5	99.9	100.0	77.0	17.77			
MADISON	99.4	97.8	72.28	61.5	99.9	100.0	77.0	17.77			
JACKSON	93.3	96.1	70.44	63.1	80.7	82.7	74.9	17.42			
POCAHONTAS	97.6	89.8	71.74	63.7	99.4	-59.8	76.9	17.01			
ROANE	88.7	87.2	69.08	64.2	70.1	52.7	74.2	16.79			
VA 94-54-479	90.7	81.4	69.66	63.0	75.4	43.3	75.8	16.91			
VA 95-52-60	95.9	91.2	71.23	63.2	98.0	66.7	77.1	17.14			
FFR 555W	100.7	99.3	72.67	62.0	108.6	97.3	78.1	17.71			
COKER 9803	93.7	97.3	70.58	64.0	88.7	86.3	75.7	17.52			
COKER 9835	94.4	100.2	70.77	62.1	94.9	85.0	76.2	17.62			
PIONEER 2580	89.1	89.2	69.20	62.7	76.3	53.5	74.7	16.80			
PIONEER 2684	93.5	94.4	70.50	63.6	90.9	78.2	76.3	17.33			
PIONEER 2643	93.5	96.1	70.50	63.3	86.6	72.4	75.8	17.27			
PIONEER 2691	91.8	102.0	70.00	63.0	82.8	70.5	75.3	17.11			

2001.00127

Table 7. Milling and baking quality of entries in the Virginia Tech Wheat Test based on evaluations of the 1996 crop.

	Over	-Locations A	Analysis	Composite Analysis							
ENTRY	Milling Quality score	Baking Quality score	Flour Yield %	Micro Test Weight lb/bu	Milling Quality score	Baking Quality score	Flour Yield %	Cookie Diameter cm			
CALDWELL=BENCHMARK	104.0	110.0	74.07	61.0	108.6	110.0	75.1	17.95			
MASSEY=STANDARD	100.0	100.0	72.86	60.7	100.0	100.0	71.4	17.24			
MADISON	100.5	100.3	73.01	60,4	97.6	-90.I	71.0	16.73			
POCOHONTAS	104.2	93.4	74.13	60.9	104.6	87.1	72.7	16.73			
ROANE	91.9	94.3	70.44	62.6	87.8	93.3	67.9	16.89			
VA 94-54-479	92.0	90.4	70.45	59.9	87.4	72.9	68.2	16.68			
VA 95-52-60	100.4	98.7	72.99	61.5	100.0	85.4	70.8	16.81			
FFR 555W-B	103.5	98.7	73.93	59.8	102.8	100.3	72.3	17.23			
COKER 9835-B	98.7	101.4	72.46	60.3	98.9	91.2	70.3	17.25			
COKER 9803	99.3	96.4	72.64	62.1	97.I	103.7	70.4	17.48			
PIONEER 2580-B	93.0	90.0	70.75	60.2	86.2	82.7	68.6	17.48			
PIONEER 2684-B	99.6	98.6	72.76	61.8	95.1	105.6	70.3				
PIONEER 2643-B	97.6	96.4	72.13	61.7	94.7	98.8	69.9	17.56 17.29			
JACKSON	96.5	98.7	71.81	62.0	95.6	84.0	69.8	17.29			
PIONEER 2691-B	93.1	105.2	70.78	60.6	96.9	98.5	69.8	10.62			

			-Locations A	nalyses	Composite Analyses					
Brand/Variety	Test Weight lb/bu	Milling Quality score	Baking Quality score	Flour Yield %	Milling Quality score	Baking Quality score	Flour Yield %	Cookie Diameter em		
BENCHMARK		102.7	104.9	74.1	107.2 A	104.6 A	75.1	17.95		
MASSEY=STANDARD	57.3	100.0	100.0	73.2	100.0 A	100.0 A	71.7	17.85		
MADISON ·	56.7	103.7	99.2	74,4 +	94.3 C	105.4 A	70.7 *	10.56		
JACKSON	57.4	98.2	98.9	72.7	96.4 B	84.5 E	70.7 *	18.56		
POCOHONTAS	57.9	101.0	88.7 -	73.5	100.0 A	70.6 F	70.4 *	17.32 **		
ROANE	59.0 +	92.9 -	95.1	73.3 71.1 -	88.3 D	70.6 F 83.5 E	72.4	17:09 **		
VA94-54-479	57.3	94.5 -	85.3 -	71.6 -	85.4 D		68.4 **	17.65		
COKER 9835	56.0 -	98.4	103.2	72.8	100.1 A	65.4 F 98.6 B	68.6 **	17.24 **		
COKER 9803	58.3 +	98.0	97.1	72.6	94.9 C		70.8 *	17.94		
PIONEER 2580-B	56.0 -	94.9 -	93.1	71.7 -	85.3 D	84.1 E	70.4 *	17.20 **		
PIONEER 2684-B	58.2 +	97.5	96.0	72.5	92.1 C	83.8 E	68.6 **	17.44 *		
PIONEER 2643-B	56.6	97.2	96.8	72.4	92.1 C	95.4 B	70.2 *	17.69		
FFR 555W-B	56.1 -	102.1	95.5	73.9	93.8 C 99.5 B	101.5 A	70.2 *	18.16		
PIONEER 2691-B	55.7 -	95.9 -	104.0	72.0 -	99.3 B 89.8 D	103.3 A 101.4 A	72.1 68.9 **	18.06 17.96		
LSD (0.05)	0.9	3.8	11.0	1.2						
Test Average	56.9	98.3	95.9	72.7	94.0	91.0	70.4	17.73		

[♦] A plus or minus sign indicates a performance significantly above or below the standard cultivar Massey, respectively. Letter designations (A=best to F=worst) following milling and baking quality scores denote a division of cultivars based on magnitude of quality scores.

*,** Quality trait for given variety is significantly lower than that of the standard cultivar Massey and deviates by one (*) or two or more (**) LSD values, respectively.

U.S. DEPARTMENT OF AGRICULTURE The following statements are made in accordance with the Privacy Act of AGRICULTURAL MARKETING SERVICE 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995. **EXHIBIT E** Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential STATEMENT OF THE BASIS OF OWNERSHIP until certificate is issued (7 U.S.C. 2426). 1. NAME OF APPLICANT(S) 2. TEMPORARY DESIGNATION 3. VARIETY NAME OR EXPERIMENTAL NUMBER Virginia Tech Intellectual Properties Inc VA94-54-479 USG 3209 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 5. TELEPHONE (include area code) 6. FAX (include area code) 1872 Pratt Drive, Suite 1625 540-951-5292 540-951-9374 Blacksburg, VA 24060 7. PVPO NUMBER 8. Does the applicant own all rights to the variety? Mark an "X" in appropriate block. If no, please explain. 9. Is the applicant (individual or company) a U.S. national or U.S. based company? NO If no, give name of country If no, please answer one of the following: 10. Is the applicant the original owner? X NO YES a. If original rights to variety were owned by individual(s); is (are) the original owner(s) a U.S. national(s)? If no, give name of country NO 'i yes b. If original rights to variety were owned by a company(ies), is(are) the original owner(s) a U.S. based company? if no, give name of country X YES NO 11. Additional explanation on ownership (if needed, use reverse for extra space): Original owner Virginia Polytechnic Institute and State University assigned its ownership to current owner Virginia Tech Intellectual Properties Inc. (see attached) PLEASE NOTE: Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria: 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species. 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species. 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria. The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition. According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for fix information collection is 0581-0055. The time required to compete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2500 (voice and TDD). To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-5340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

STD-470-E (07-97) (Destroy previous editions).

Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.

200100127."

GROUP ASSIGNMENT

DISCLOSURE NO.

TITLE

98.045	Bi-Directional Full-Bridge DC/DC Converter with Unified Soft-
98.046	Integrated Auction Software
98.047	CEMIS Continuing Education Management Information System
98.048	Load Bearing Foundation Screws
98.049	Designer Glass Pitcher
98.050	All Fiber-Based Dense Wavelength Division Multiplexing (DWDM)
98.051	Processes for Preparing Fiber Reinforced Polymer Matrix
98.052	Detecting the Presence of Metal lons via a Change in the
98.053	GeoPave Software
98.054	Single Operator Motorcycle Swingarm Stand
98.055	WhizQuest
98.056	Novel Zero-Current-Transition and Quasi-Zero-Voltage-Transition
98.057	Spiro-Helical Antenna
98.058	An Improved Continuous Current Mode (CCM) Single-stage Input
98.059	Reconfigurable Simulation of Video Performance
98.060	NutMan, Nutrient Management Software for Virginia
98.061	Optical Fiber Humidity Sensor formed by the Ionic Self Assembled
98.062	Technique to Utilize Thermal Analysis Equipment to Measure
98.063	Magnetic Cobalt Fluids in Silicone Carrier Liquids
98.064	WhizQuiz version 2.0
98.065	UPDATER: A Mobile Tool for Acquisition of Activity Progress Data
98.066	Production of Human (hFil), Porcine (pFil), and Chimeric Variants
98.067	Production of Porcine Factor VIII (pFVIII) and Variants of in
98.068	Production of von Willebrand factor (vWF) in Transgenic Animals

	This de of						
99.001	isolation and Characterization of a New Isoform of Fas Ligand						
99.002	Choices and Challenges Discussion Videotape: Intelligence Testing						
99.003	Low Conduction Loss Power Switch On Silicon Carbide and Other						
99.004	Electric Field Tunable Polymer Materials For Frequency Adaptive						
99.005	New N-Alkyl Semisynthetic Derivative of Natamycin, and Method of						
99.006	Construction of a Commercially Viable Volumetric Dilatometer						
99,007	AccessVT System						
99.008	Resonant Gate Commutated Thyristor (RGCT) and Switching Gate						
99.009	Enhanced Stability and Performance of Cells and Cell Components						
56.002	Wheat Variety *Roane* (VA93-54-429)	·····					
56.003	Tobacco Variety VA 359						
56.004	Tobacco Variety VA 355						
56.005	Wheat Variety VA92-51-12)					
56.006	Wheat Variety VA94-52-60	·					
56.007	Wheat Variety VA94-52-69	·					
56.008	Peanut Variety VA 98R						
56.009	VA93-54-258						
6.010	Wheat Variety VA94-54-479						
6.011	Wheat Variety VA95-52-60	·					
6.012	CDH-1 (US Plant Patent No. 10610)						
6.013	JEF-b1 (US Plant Patent 10411)						
6.014	JAM-1 (U.Md. OTL Ref. No. LS 95-022), raspberry plant named Emily						
6.015	GEL-20 (U.Md. OTL Ref. No. LS 95-023)						
6.016	JCR-f1 (US Plant Patent 10,412)						
6.017	KAS-1 (U.Md. OTL Ref. No. LS 95-025)						

Expression of a Heterologous Polypeptide in Mammary Tissue of

98.069

200100427

VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY (hereinafter referred to as the "UNIVERSITY"), assigns to VIRGINIA TECH INTELLECTUAL PROPERTIES, INC. (hereinafter referred to as "VTIP") all rights, title and interest in and to all of the above-listed INVENTIONS as held by the UNIVERSITY.

The UNIVERSITY, by its authorized agents, agrees that it will execute all necessary assignments as requested by VTIP, to facilitate the filing of patent applications and/or copyright registrations. It will render any reasonable assistance requested to aid in preparation of such applications and/or registrations.

The UNIVERSITY shall retain the right to make use of the INVENTIONS for internal research and other non-commercial purposes without cost to the UNIVERSITY.

All royalties, rents, payments, or any cash receipts from the sale, assignment, transfer, licensing or use of the INVENTION shall be the property of VTIP and shall be distributed according to provisions of the current UNIVERSITY Intellectual Properties Policy.

Prior to the execution of this assignment, the UNIVERSITY has not granted the right of license to make, use, or sell said INVENTION to anyone except to VTIP, nor has it otherwise encumbered its rights, title and interest in said INVENTION, and it will not execute any instrument in conflict with this Assignment.

	IN	WITNESS	WHEREOF,	the	UNIVERISTY	has	caused	this
Assig	nme	nt to be sig	ned this		<u> </u>	day		
		MANIL	-		<u>′</u> , 1999.		· · · · · · · · · · · · · · · · · · ·	
		<i>y</i>						

VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY

11 11100 C/C

/ MINNISÆ. RIDENOUR Executive Vice President

2001001271

STATE OF VIRGINIA

COUNTY OF MONTGOMERY, to-wit:

•	The foregoi	ing instrume	nt was acknowle	edged before me thi
	215+	_ day of	april	1999, by
	Minn	is E. R	idenour	
of Virg	inia Polyte	chnic Institu	te and State Uni	versity, on behalf of
said U	niversity.		·	•

Hatterne M. Sanders Notary Public

My commission expires: 6/30/2001